



*Louisiana*

LAONECALL.COM



**ITIC USER'S MANUAL  
PRE-CUTOVER VERSION**

JAN.30.2017

# INTRODUCTION

**Welcome to ITIC NextGen** – the future of online ticketing!

Online ticketing systems have required users to spend their time entering text information before allowing them to do the all-important work of finding their the dig site on a map. As we considered ways to improve the online ticketing process, we became convinced that if users identified their dig site on the map first, nearly all text entry could be automated. As our research in modernizing on-line ticketing continued, we found other ways to save the user time and effort by building the notification center's business rules into the system.

One of the biggest differences you will notice from the very first time you use NextGen is that identifying your dig site starts, not ends, with an aerial photo of your work area. After minimal text entry, easy-to-use tools allow you to specify each individual dig location within your work area. Once you have specified all the work areas, NextGen automatically divides or combines them into the appropriate number of tickets, each one complete with text-based location information. That's right - NextGen presents you with completed tickets for your review.

We believe NextGen will change the way people think about damage prevention. For the very first time: an online ticketing application:

- **Starts the process with an aerial photo.** Use the width of streets, the location of buildings, and the location of other geographic features to help identify where you are digging in relation to the actual conditions at your work site.
- **Uses the information contained in the notification center's base map.** NextGen helps you complete your ticket, allowing you to fully concentrate on identifying the precise location where you will dig instead of entering text.
- **Gives you the means to precisely define the area in which your work will take place.** We've eliminated the need to "go broad" or "over-cover" your work site. Each individual excavation site you define will be compared with the notification center's database so affected operators are notified.

This manual is divided into two parts. The first is a "quick start" that covers the basics of using NextGen to file your locate requests. Long-time ITIC users may be more comfortable starting here. The second section provides more detailed information about NextGen's advanced features. With that in mind, all users will benefit from reviewing some of the new terms and ideas used in discussing creating an online ticket with NextGen.

**Session** – A period of user interaction with NextGen characterized by defining one or more *excavation entities* which subsequently results in the creation of one or more tickets.

## INTRODUCTION - DEFINITION OF TERMS

**Excavation Entity** – A circle, route, parcel, GPS generated polygon or free-hand polygon representing an area of excavation (see below). The NextGen user creates a discrete excavation entity during a session as they identify the limits of an area of work. Users can create as many excavation entities as necessary during a single session.

**Route** – An excavation entity created when a user selects a series of points on a map that form a continuous line. The line is converted into an excavation entity based on the “width” specified by the user.

**Circle** – An excavation entity created when a user selects a point on a map that is then converted into a circle based on the length of the radius requested by the user.

**Parcel** – An excavation entity created when a user selects part or all of a parcel of property. Parcel size is often associated with a single address and does not include the road right of way. Users can extend parcel size with the “parcel” tool. NOTE: Available parcel data may be limited in some areas.

That's it! Turn to the next page to get started.

# TABLE OF CONTENTS

## INTRODUCTION

Introduction ..... pg. 1

Introduction - Definition of Terms ..... pg. 2

About Your Session ..... pg. 4

## QUICK START GUIDE: CONFIRMING YOUR CONTACT

Logging In ..... pg. 7

Landing Page ..... pg. 8

## QUICK START GUIDE: CREATING EXCAVATION ENTITIES

The Map ..... pg. 10

## QUICK START GUIDE: VERIFYING AND RELEASING COMPLETED TICKETS

Ticket Information Page ..... pg. 14

Ticket Disposition Page ..... pg. 16

Utility Notification List ..... pg. 17

## ADVANCED GUIDE

Advanced/Alternate Search ..... pg. 19

Create Circle ..... pg. 20

Create Route ..... pg. 22

Select Parcel ..... pg. 25

Select Feature ..... pg. 28

Create Polygon ..... pg. 32

Create GPS ..... pg. 34

Entity Grouping ..... pg. 40

Precise Mapping and Why It's Important ..... pg. 44



## ABOUT YOUR SESSION - A QUICK OVERVIEW

**Session** – A period of user interaction with ITIC characterized by defining one or more *excavation entities* which subsequently results in the creation of one or more tickets.

The workflow of a session consists of three parts:

### **Confirming your contact and profile (if used) information**

Upon logging in, ITIC will present you with the contact information on file with the Louisiana One Call call center. At the start of the session, you will be able to update this record so that modified information appears on all locate requests you generate. You can also modify or create new profiles as needed before actually beginning the process of creating your tickets. Finally, you can modify the record on each ticket individually during the ticket creation process.

### **Creating excavation entities to cover your work areas**

The number of excavation entities you can create in a single session is unlimited. Feel free to create as many as required to meet your needs. ITIC applies the business rules as established by LAOC to split or combine the excavation entities into the appropriate number of locate requests. Tickets will be presented to you for your review and confirmation, complete with text field entries, such as county, city, and street names, based on your excavation entities.

It is important to devote your full attention to the creation of the excavation entities because they are the foundation that ITIC uses to determine which utilities need to be notified. ITIC includes a series of tools designed to help users create excavation entities for the most common types of excavations (route, single point, etc.).


### **Suggested Next Step**

ITIC offers updated advice on how to proceed, whether at the beginning, middle, or end of the process. Look for this box at the top of the screen. The text will continually refresh as you work through your session.

#### **Suggested Next Step**

Click one of the larger buttons to the right of the map to create an excavation area OR Enter a starting location in the "Starting Address Location" window OR zoom/pan to the general location of the planned excavation OR click on the "Advanced/Alternate Search" button to the right.

# ABOUT YOUR SESSION - CONTINUED




**Admin (Button)**  
Clicking this button will allow the user to edit caller or profile information.

**Hover Help**  
Hovering the cursor over different ITIC features will display helpful information.

**ISITE Home (Button)**  
Clicking this button will abandon your session and return you to the iSite Main Menu.

**Help (Button)**  
Clicking this button will display a page with links to training materials.

**Chat (Button)**  
Clicking this button will connect you with the Live Help Chat function. Live Help Chat is only available during normal call center hours.



## Complete, review, and release your tickets

ITIC presents you with partially completed tickets once you indicate you have finished a session. You must enter precise marking instructions on each ticket. Alerts will appear if any other text fields need further review. Those most commonly in need of attention are special purpose fields, such as those indicating whether explosives or trenchless technology (horizontal boring) will be used.

Sections missing required information are marked with a red exclamation point [“!”]. Tickets that are waiting for review are marked with a red globe. All users will be required to review the completed ticket prior to moving to the next step.

Fields missing required information will be highlighted with a red border.



**ITIC QUICK START GUIDE:  
CONFIRMING YOUR CONTACT  
AND PROFILE INFORMATION**


## LOGGING IN

To access ITIC point your web browser to <http://sandbox.occinc.com/isite/>

If you do not already have an ITIC login, click the **NEED TO REGISTER?** button located below the login and password fields.

If you have forgotten your login information, you can also click the **FORGET YOUR PASSWORD?** link, also located below the login and password fields.

Once you enter your password and login and hit return, you'll be logged in to the sandbox.



The screenshot shows the ITIC login interface. On the left is a large yellow circular logo with the word "ISITE" in black. To the right of the logo, the text "ISITE IS READY TO HELP LOGIN TO BEGIN" is displayed. Below this text are two input fields: the top one is labeled "USERNAME" and the bottom one is labeled "PASSWORD". A yellow "LOGIN" button is positioned below the password field. Further down, there are two rectangular buttons: "FORGOT YOUR PASSWORD?" and "NEED TO REGISTER?". At the bottom of the login area is a "Search and Status" button. At the very bottom of the page are two logos: "811" and "ONE CALL CONCEPTS" with the tagline "When safety is on the line." Orange lines with dots at the end point from the text instructions to the "NEED TO REGISTER?" and "FORGOT YOUR PASSWORD?" buttons.

ISITE IS READY TO HELP  
LOGIN TO BEGIN

USERNAME  
PASSWORD

LOGIN

FORGOT YOUR PASSWORD?

NEED TO REGISTER?

Search and Status

811

ONE CALL CONCEPTS  
When safety is on the line.



## LANDING PAGE

By default, you will be logged into NextGen.

ITIC NextGen®

ITIC

IMAP

DAMAGE MANAGER

EXCAVATOR

LOCATOR

SEARCH & STATUS

MESSAGES

LOGOUT

SANDBOX  
FOR TESTING PURPOSES ONLY  
LIVE TICKETS WILL NOT BE CREATED

Contact | Help | Chat

PLEASE MAKE YOUR SELECTION . . .

MN MO MD IA LA

● CALLER INFORMATION

● PROFILE INFORMATION

ONSITE NAME JAKE CHAMBERS

ONSITE PHONE 555

ADDITIONAL EMAIL RECIPIENTS

TYPE OF WORK INS

WORK DONE FOR JIM

DURATION

DIRECTIONAL BORING

EXPLOSIVES N

ITIC NextGen®

The first page of NextGen is broken into two sections, **Caller Information** and **Profile Information**.

The **Caller Information** section contains identifying and contact information for your company. You can edit your Caller Information at any time. After changing information, you must advance to the next field before the **SAVE CHANGES** button will appear in the upper-right corner. Click this button to retain any changes you have made. **NOTE:** If you edit any fields in the Caller Information section but do not exit the field and **SAVE CHANGES**, your *changes will be made for this session only*.

Create new Profiles or select from a list of existing profiles in the **Profile Information** section. Profiles are used to auto-fill specific fields with your routinely used information. Utilizing the 'Profiles' feature will enable ITIC to 'remember' your information - saving you time in the Locate Request process.

Click the **NEW TKT** button when you are ready to start. NextGen will then take you to the Map page.

Users who have ITIC privileges in multiple states will see a series of "tabs" across the top of the ticket entry window. Select the state in which you will file your locate request by clicking on the corresponding tab.



**ITIC QUICK START GUIDE:  
CREATING EXCAVATION ENTITIES**

# THE MAP

Map your work site(s) to begin filing a ticket with ITIC. Several tools are available to help you accurately map your locate requests:

## Starting Address Location

Use this search field to find an address, an intersection, or the name of a business or municipal building that can serve as the starting point for your excavation(s).

## Advanced/Alternate Search

Use the Advanced Search tool to find locations that do not appear in the Starting Address Search. You can use the drop-down menu to search by more specific address information, coordinates, map grids, mapping from a previous locate request, or GPS locations. (See pg. 20 for more info).

## Map View Buttons

Change the image of the map to the Call Center map view, Google map view, or Satellite view (pictured). We recommend using satellite view whenever you create excavation entities.

## Placemark

Place a pin-mark on the map for later reference with this tool. This can be very helpful when used in conjunction with the Measure tool.  
NOTE: Placemarks only last the duration of the session in which they are created.

## Identify


Identify map features that do not display a name (such as roads, highways, rivers, etc.) with this tool. The name will appear in the top section of the map next to "Highlight."  
The Identify tool is also useful for identifying the address range of a specific block. Note: zooming in on the map makes more names visible.

## Frame

Use this function to center the map on:  
A) Excavation entities you have created.  
B) Placemarks you have created.  
C) Both of the above.  
(Use the drop-down menu to select A, B, or C)


## Measure

Use this tool to measure the distance between points on the map. Get in the habit of using this tool regularly to ensure proper coverage of excavation areas and confirm distances along roads.





# THE MAP - CONTINUED



## Entity Creation Buttons

Several tools are available to create excavation entities that encompass your work location. The tools are based on the most commonly described kinds of excavation areas. Choose the one that best meets your needs. Find out more in the following descriptions:

### Create Circle

Generates a circular excavation entity, or a series of circular polygons. This tool is an excellent choice for jobs involving pole installation, tree planting, etc. (See pg. 20 for more info.)

### Create Route

Creates long, narrow excavation entities. This tool is an excellent choice for jobs involving “long and skinny” work that does not take place in a roadway. (See pg. 22 for more info.)

### Select Parcel

Defines excavation entities based on available parcel data. Use the Select Parcel tool when a dig site is confined to all or part of a piece of private property. (See pg. 25 for more info.)

### Select Feature

Creates excavation entities that look similar to those created by the Create Route tool. The Select Feature tool defines excavation entities when you click on map features. Select this tool for jobs contained primarily in the roadway. (See pg. 29 for more info.)

### Create Polygon

Reserved for situations where no other excavation entity will properly cover the dig site, the Create Polygon tool allows you to draw an entity polygon “free-hand.” (See pg. 32 for more info.)

## Create GPS

Delineates an excavation entity using your device’s GPS capability while in the field.

**Note:** Do not use this tool when inputting tickets offsite.

(See pg. 35 for more info.)

## Load Shapefiles

Use this tool if you have shape (.shp/.shx) files that define points, lines or polygons covering your dig site. ITIC will then convert your shapefiles to excavation entities.

## Edit Locate(s)

Using this tool deletes or modifies existing excavation entities. You can left-click on any existing entity polygon to edit it, or right-click to delete it while the Edit Locate(s) tool is active.



# MAPPING YOUR WORKSITE(S)

Create at least one excavation entity to encompass each dig site after locating your general work location on the map. Create as many excavation entities, in any combination, as you need to cover the work site(s).

The screenshot displays the ITIC NextGen web application interface. At the top left, the 'NextGen' logo is visible. To its right, a 'Suggested Next Step' box contains instructions: 'Click the 'Next' button at the bottom right to generate tickets OR click one of the larger buttons to the right of the map to create another excavation area OR Enter a starting location in the'. Further right are buttons for 'ISITE Home', 'Help', 'Admin', and 'Chat'. Below these is a 'ONE CALL CONCEPTS' logo with the tagline 'When safety is on the line.' A search bar labeled 'Advance/Alternate Search' is positioned above the map. The map itself shows a residential area with streets labeled 'N 22nd St', 'N 23rd St', 'Gracie St', 'N Capitol Park Dr', and 'S Capitol Park Dr'. A blue line highlights a path along the streets, and several green polygons highlight specific areas. On the right side of the map, a vertical toolbar contains buttons: 'Call Center', 'Sat' (highlighted in yellow), 'Google', 'Placemark', 'Measure', 'Identify', 'Frame', 'Create Circle', 'Create Route', 'Select Parcel', 'Select Feature', 'Create Polygon', 'Load Shapefile', and 'Edit Locate(s)'. At the bottom right of the map area, a yellow 'NEXT' button is highlighted with an orange line. The bottom of the map shows Google logo and map data information: 'Map data ©2017 Google Imagery ©2017, DigitalGlobe, U.S. Geological Survey | 20 m | Terms of Use | Report a map error'.

In this example the work site has been mapped out using the **Create Circle**, **Select Feature** and **Select Parcel** tools.

When you have mapped out your entire work area click the **NEXT** button. ITIC will display the Ticket Information page.



**ITIC QUICK START GUIDE:  
VERIFYING AND RELEASING COMPLETED TICKETS**

# TICKET INFORMATION PAGE

ITIC calculates the most efficient way to break up or combine the excavation entities you have created and assign them to locate requests. ITIC automatically applies the business rules as established by Louisiana One Call to make this determination. The tickets appear at the top of the screen. Each tab represents a ticket.

## Excavator Information

is drawn from the information you confirmed at the start of the session (See pg. 8 for more info.)

## Excavation Information

is auto-filled with information you entered in the Profile section of the ITIC landing page. Change this information by choosing a different profile using the profile drop-down menu. You can also fill out the fields by hand.

Enter a complete description of the area of excavation in the **Location of Work** field. Pay close attention to the mapping on the right side of the page – if ITIC has split up your work area into multiple tickets, you should only describe the area of excavation that corresponds to the mapping on the current ticket/tab. Additionally, if the **Location Description** does not conform to the mapping, it may cause a delay in processing the ticket.


Review the information on each ticket for accuracy and make any necessary additions or revisions. Here are some tips that will assist you in that process:


The screenshot displays the ITIC Ticket Information Page. At the top, a 'Suggested Next Step' message states: 'The number of tickets created is based on call-center policy for the excavation entities created. Click on each "Ticket" tab appearing below to verify the accuracy of the information depicted in the map at the right AND the corresponding "Location Information" text on the left. Even though the ticket form has been completed by the system, you are responsible for the accuracy and validity of all information. A red globe in the ticket tab indicates that this ticket has not yet been viewed. A red exclamation point in the ticket tab indicates that this ticket has not yet been viewed.' Below this, there are tabs for 'Ticket A', 'Ticket B', 'Ticket C', and 'Ticket D'. The 'Ticket A' tab is selected. The form is divided into three main sections: 'EXCAVATOR INFORMATION', 'EXCAVATION INFORMATION', and 'LOCATION INFORMATION'. The 'EXCAVATOR INFORMATION' section has a 'Group Edit' button. The 'EXCAVATION INFORMATION' section has a 'PROFILE' button. The 'LOCATION INFORMATION' section contains fields for 'PARISH' (EAST BATON ROUGE), 'CITY' (BATON ROUGE), 'ADDRESS #', 'STREET' (N CAPITOL PARK CT), 'INTERSECTING STREET' (N 23RD ST), and 'LOCATION OF WORK'. The 'LOCATION OF WORK' field contains a detailed description of the excavation route and four points with their coordinates. The 'REMARKS' field is empty. On the right side of the form, there is a map showing the excavation area with a blue line indicating the route. The map includes a 'Call Center' button, a 'Sat' button, a 'Google' button, a 'Measure' button, an 'Identify' button, and a 'Frame Locate(s)' button. The map also shows a 'CC EMAIL' button. The bottom right corner of the map has a 'NEXT' button.


Louisiana One Call will automatically send you a copy of your completed ticket. Click the **CC EMAIL** button to send a copy of the ticket to another email address.




# TICKET INFORMATION PAGE - CONTINUED


The **red border** indicates a required field. Fill out all fields with a red border or you will not be able to proceed.



The **Red Exclamation Point**  appears when there is missing information in the corresponding ticket. Enter the missing information or you will be unable to proceed.

The **Green Chain-Link**  indicates the **Group Edit** function is active on the corresponding ticket(s).



**Ticket A**  **Ticket B**  **Ticket C** 

**EXCAVATOR INFORMATION**  Group Edit

**EXCAVATION INFORMATION**   Group Edit **PROFILE**

ALT CONTACT **JAKE CHAMBERS** PHONE **555-555-5555**


TYPE OF WORK **INSTALLATION OF FENCE**

WORK BEING DONE FOR **GOODMAN & FARSON, LLP**


DURATION **[Red Border]**

DIRECTIONAL BORING **[Red Border]** EXPLOSIVES **N**


**LOCATION INFORMATION**

**Group Edit:**  Group Edit

Click on this link to toggle Group Edit on or off. The Group Edit feature allows you to edit the Excavator Information and/or Excavation Information on multiple tickets at one time. When Group Edit is activated any change you make will appear on each ticket. Group Edit is not available for use with Location Information. In contrast, Individual Edit mode allows you to enter information on a single ticket.

The **Red Globe**  indicates the corresponding ticket is waiting for review. You must review the mapping, location and excavation information or you will be unable to proceed.

When you are certain all ticket information is accurate, select the next ticket by clicking a tab and review the next ticket. Once you have completed and reviewed all tickets click the **NEXT** button in the lower right corner of the page.

 This will take you to the **Ticket Disposition** page.



# TICKET DISPOSITION PAGE

You can edit the **Start Date and Time**, and the **Action** ITIC will take for each ticket.


The **Ticket Type** will display the type of ticket you selected when initially creating the ticket.

The **Work to Begin Date** defaults to the earliest available time and date (specified by statute) based on the type of ticket you have created. Use the menus to alter the **Work to Begin Date and Time** to a later date, if needed.

## Ticket Action

Use the drop-down menus to assign an action to each ticket individually, or use the white arrow key to assign the same action to all tickets. (See box below for more info.)


When you have completed your entire review, click the **SUBMIT** button. This commits the ticket(s) to the actions you have assigned. If you chose to **RELEASE** your ticket(s), ITIC will present you a list of utilities to be notified.



**NextGen**

**Suggested Next Step**

Click on each 'Ticket' tab below to review the 'Ticket Type' and 'Work to Begin' dates and times. In the 'Session Disposition' section, select an action item for each ticket individually, or use the 'arrow' button next to the 'Action' column to change ALL tickets. When ready, click on the 'Submit' button in the lower right hand corner to complete



ONE CALL CONCEPTS  
TICKET ENTRY & JOB SCHEDULING

ISITE Home Help

Admin Chat

**Ticket A** Ticket B Ticket C

**TICKET DISPOSITION** [Group Edit](#)

TICKET TYPE: 2 FULL BUSINESS DAYS

WORK TO BEGIN DATE: 01/20/2017

WORK TO BEGIN TIME: 7 : 00 AM

**SESSION DISPOSITION**

Ticket	State/Parish	Place	Address	Cross Street	Ticket Type	Action Date	Action
Ticket A	LA/EAST BATON ROUGE	BATON ROUGE	N CAPITOL PARK CT	N 23RD ST	2 FULL BUSINESS DAYS	01/20/2017	RELEASE
Ticket B	LA/EAST BATON ROUGE	BATON ROUGE	1001 N 23RD ST	FUQUA ST	2 FULL BUSINESS DAYS	01/20/2017	RELEASE
Ticket C	LA/EAST BATON ROUGE	BATON ROUGE	N 28TH ST	FUQUA ST	2 FULL BUSINESS DAYS	01/20/2017	RELEASE

SUBMIT

## AVAILABLE ACTIONS

**Discard** abandons the ticket. If you choose this function, the ticket will not be transmitted, and all work you have done on it (mapping, location information, etc.) will be discarded.


**Release** transmits the ticket to the notification center for review or directly to the affected utilities (depending on your NextGen User Privileges).

NOTE: ticket numbers are only assigned when a locate request is directly released. Reviewed tickets are assigned numbers upon release by notification center staff.


**Advance** delays the release of your ticket to a future date you specify. This tool permits you to file locate requests for future jobs that are scheduled to begin outside the normal timeframe for a ticket.

# UTILITY NOTIFICATION LIST

ITIC will present you with the **Utility Notification List** once tickets are released. This page contains a complete list of the Facility Operators to be notified as a result of your ticket[s].



**Suggested Next Step**  
Tickets for this session have been completed. Click on 'ISITE HOME' in the upper right corner to start a new session.



[ISITE Home](#) [Help](#)  
[Admin](#) [Chat](#)

**Ticket A**  
270000002

**Ticket B**  
270000003

**Ticket C**  
270000001

**UTILITY NOTIFICATION LIST**

District	Company Name	Phone Number
BRW01	BATON ROUGE WATER	(225) 928-1000
COXBR01	COX COMMUNICATION	(225) 237-5029
EBRGE01	ENTERGY GULF STATES	(225) 291-2793
LA01	AT&T DISTRIBUTION	

Number of Districts: 4

**RELEASE SUMMARY**

Ticket 270000002 has been completed.

Make sure all facility operators have responded before beginning excavation.

You will receive an email with a copy of your ticket. Please check it for accuracy.

**SESSION DISPOSITION**

Ticket	State/Parish	Place	Address	Cross Street	Ticket Type	Action Date	Action
270000002	LA/EAST BATON ROUGE	BATON ROUGE	N CAPITOL PARK CT	N 23RD ST	2 FULL BUSINESS DAYS	Start Date: 01/20/2017 at 07:00	SUBMITTED
270000003	LA/EAST BATON ROUGE	BATON ROUGE	1001 N 23RD ST	FUQUA ST	2 FULL BUSINESS DAYS	Start Date: 01/20/2017 at 07:00	SUBMITTED
270000001	LA/EAST BATON ROUGE	BATON ROUGE	N 28TH ST	FUQUA ST	2 FULL BUSINESS DAYS	Start Date: 01/20/2017 at 07:00	SUBMITTED

LOGOUT

You can now choose to log out, or return to the iSite main menu.



## ITIC ADVANCED GUIDE

# ADVANCED/ALTERNATE SEARCH

Use the Advanced Search if you are unable to find your worksite with the Starting Address Location search.

## Advanced Street

Search can be used to search for roads and intersections.

Advanced Street Search

State

LA

County/Parish

ORLEANS

City/Place

Addr

Street

MARQUEZ DR

Cross Street

NEWPORT DR

Search

Clear

Cancel

## Coordinate

Search can be used for latitude/longitude and other coordinate type formats.

Coordinate Search

Decimal Lat/Lng

DMS Lat/Lng

GPS

SPCS

UTM

Lat

31.499448

Lng

-92.538679

NAD 27

NAD 83

Search

Clear

Cancel

## Prev Ticket

Search can be used to show the excavation polygons from previously filed tickets.

Ticket Search

State:

LA

Ticket Number:

270000002

Search

Clear

Cancel





# CREATE CIRCLE

Create Circle

The **Create Circle** tool allows users to create circular excavation entities with a pre-determined radius. The Create Circle tool is an excellent choice for jobs involving pole installation, tree planting, or any other type of work where a circle best describes the work area. You can create as many Circle entities as needed.

First select the **Create Circle** tool. You will be prompted to enter a radius in feet.

Once you have specified a radius click **Ok**.




Now click on the map where you would like to place your circle.

## CREATE CIRCLE - CONTINUED

Create Circle

You can continue placing circular excavation entities by clicking on the map.

When you are finished click the **End Circle** button.



To expand or edit the excavation entity click the **Edit Locate(s)** button.


“Circle” excavation entities appear on the map in red.



# CREATE ROUTE

Create Route

The **Create Route** tool allows users to create long, narrow excavation entities. The **Create Route** tool is an excellent choice for defining an excavation area when trenching, performing road repair/replacement, or any other type of work involving a long, narrow excavation area. You can create as many Route entities as needed.




First select the **Create Route** tool. You will be prompted to enter a width in feet. Once you have specified a width click **Ok**.

## CREATE ROUTE - CONTINUED

Create Route

Now click on the map where you would like to begin your route. Move the mouse to the next turning point in your route and click again. Continue this process until your entire route has been covered, then click the **End Route** button.





## CREATE ROUTE - CONTINUED

Create Route

Clicking the **End Route** button will convert the route to an excavation entity with the width you had previously designated. To expand or edit the excavation entity click the **Edit Locate(s)** button.




“Route” excavation entities appear on the map in dark blue.

# SELECT PARCEL

Select Parcel

The **Select Parcel** tool allows users to create polygons based on available parcel data. The **Select Parcel** tool should be used when you are excavating on a specific address/parcel of land. You can create as many Parcel entities as needed.

First click the **Select Parcel** tool. Then click on the area of excavation. If parcel data is available a section of the parcel will be highlighted, and a red box will surround the property in question, typically divided into two halves or four quarters.






# SELECT PARCEL - CONTINUED

Select Parcel


Continue selecting parcel sections until the entire work area is encompassed.



## SELECT PARCEL - CONTINUED

Select Parcel

If your work area extends slightly beyond the parcel boundaries you can use the **Extend Parcel** feature. Click the small checkbox located inside the **End Parcel Extend** button. This will turn **Parcel Extend Mode** on. Then click the area outside the parcel where you'd like to extend the excavation entity. This will expand the excavation entity accordingly. Clicking further out will further extend the excavation entity.



To return to the original parcel size click within the original parcel boundaries while in **Parcel Extend Mode**.

When you have finished click the **End Parcel** button.

To expand or edit the excavation entity click the **Edit Locate(s)** button.


“Parcel” excavation entities appear on the map in green.



# SELECT FEATURE

Select Feature

The **Select Feature** tool allows users to create excavation entities based on available map features, such as roads and highways. Select Feature is a good choice for excavations taking place along existing roadways. You can create as many Feature entities as needed.




First click the **Select Feature** tool. You will be prompted to enter a width in feet. Once you have specified a width click **Ok**.



SELECT FEATURE - CONTINUED

Select Feature


Next click on the road the work will take place. If the feature is available a light blue border will appear along a section of the road.



SELECT FEATURE - CONTINUED

Select Feature

You can continue clicking map features until your work area is completely encompassed.




To continue, click the **End Feature** button.



## SELECT FEATURE - CONTINUED

Select Feature

Clicking the End Feature button will convert the selected features to an excavation entity with the width you had previously designated. To expand or edit the excavation entity click the **Edit Locate(s)** button.




“Feature” excavation entities appear on the map in light blue.

# CREATE POLYGON

Create  
Polygon

The **Create Polygon** tool should only be used when no other mapping options will adequately define the excavation area. The **Create Polygon** tool allows you to “free-hand” draw an excavation entity. When using the **Create Polygon** tool please keep the excavation polygon as small as possible, yet large enough to cover the entire planned excavation area.

First click the **Create Polygon** button. Begin by making a single click on the map where you would like to set your first point.



Continue setting points until you completely encompass the entire area of excavation.



## CREATE POLYGON - CONTINUED

Create  
Polygon

To close/complete the polygon, simply click the same square point where you began.

To expand or edit the excavation entity click the **Edit Locate(s)** button.



Polygon excavation entities appear on the map in yellow.


## CREATE GPS

Create GPS

The **Create GPS** tool utilizes the GPS capabilities on your device\* to create an excavation entity by walking the excavation perimeter and designating points. You can create as many GPS entities as needed.

When physically located at your work site walk to a corner of your excavation area and click the **Create GPS** button. This will activate **GPS Mode**. You should see a small purple pin-mark on the map where you are standing.

\* Please note that some devices may not have the required GPS capability needed to use this feature.



**NOTE:** ITIC constantly runs a background test to evaluate the accuracy of your device's GPS information. If your GPS information falls below ITIC's standard at any time, you will receive an alert. At this point you must wait for your device's GPS to "catch up" before continuing to create your GPS excavation entity, or click Cancel to exit GPS mode.

### Waiting for GPS

Attempt: 0  
Current accuracy: 21.392 meters  
Required accuracy: 20 meters


Cancel



## CREATE GPS - CONTINUED

Create GPS

You can now begin laying down borders for your GPS excavation entity. First click the **Add to GPS** button. This will place a corner point (represented by a small white box) where you are standing.



**NOTE:** ITIC constantly runs a background test to evaluate the accuracy of your device's GPS information. If your GPS information falls below ITIC's standard at any time, you will receive an alert. At this point you must wait for your device's GPS to "catch up" before continuing to create your GPS excavation entity, or click Cancel to exit GPS mode.

### Waiting for GPS


Attempt: 0  
Current accuracy: 21.392 meters  
Required accuracy: 20 meters

Cancel

## CREATE GPS - CONTINUED

Create GPS

Walk to the next corner of your excavation area. You should see a blue line trailing from your current location to the last corner point you placed.



**NOTE:** ITIC constantly runs a background test to evaluate the accuracy of your device's GPS information. If your GPS information falls below ITIC's standard at any time, you will receive an alert. At this point you must wait for your device's GPS to "catch up" before continuing to create your GPS excavation entity, or click Cancel to exit GPS mode.

### Waiting for GPS

Attempt: 0  
Current accuracy: 21.392 meters  
Required accuracy: 20 meters


Cancel



## CREATE GPS - CONTINUED

Create GPS

Click **Add to GPS** to add another corner point.



**NOTE:** ITIC constantly runs a background test to evaluate the accuracy of your device's GPS information. If your GPS information falls below ITIC's standard at any time, you will receive an alert. At this point you must wait for your device's GPS to "catch up" before continuing to create your GPS excavation entity, or click Cancel to exit GPS mode.

### Waiting for GPS

Attempt: 0  
Current accuracy: 21.392 meters  
Required accuracy: 20 meters


Cancel

## CREATE GPS - CONTINUED

Create GPS

Continue to walk the border of your work site until you have encompassed your entire excavation area.

When you are ready click **End GPS** to close out the excavation entity.



**NOTE:** ITIC constantly runs a background test to evaluate the accuracy of your device's GPS information. If your GPS information falls below ITIC's standard at any time, you will receive an alert. At this point you must wait for your device's GPS to "catch up" before continuing to create your GPS excavation entity, or click Cancel to exit GPS mode.


### Waiting for GPS

Attempt: 0  
Current accuracy: 21.392 meters  
Required accuracy: 20 meters

Cancel



The completed GPS excavation entity will appear on the map in orange.



**NOTE:** ITIC constantly runs a background test to evaluate the accuracy of your device's GPS information. If your GPS information falls below ITIC's standard at any time, you will receive an alert. At this point you must wait for your device's GPS to "catch up" before continuing to create your GPS excavation entity, or click Cancel to exit GPS mode.

## Waiting for GPS

Attempt: 0  
Current accuracy: 21.392 meters  
Required accuracy: 20 meters


Cancel

# ENTITY GROUPING

The Entity Grouping menu allows you to choose between creating a separate ticket for each excavation entity, or combining multiple entities into one or more tickets.

To access the Entity Grouping menu click the white arrow located near the NEXT button in the lower-right corner of the screen.

Choose “One Excavation Entity per Ticket” to have ITIC create a different ticket for each Excavation Entity in your session.




**NOTE:** No matter what you choose in the Entity Grouping menu, the rules as established by LAOC apply. If you try to group a series of entities that must be split into multiple tickets, ITIC will split them into the necessary number of tickets automatically.



# ENTITY GROUPING - CONTINUED

Choose “Group Excavation Entities for Tickets” to combine multiple entities into one (or more) ticket(s).




Click the “Start Group” button, then click on each entity you would like to group together. A small icon will appear next to each entity labeling it part of Group A, Group B, etc.

Click the “Clear Group” button to clear the current group you are on.

**NOTE:** No matter what you choose in the Entity Grouping menu, the rules as established by LAOC apply. If you try to group a series of entities that must be split into multiple tickets, ITIC will split them into the necessary number of tickets automatically.

## ENTITY GROUPING - CONTINUED

Choose “Group Excavation Entities for Tickets” to combine multiple entities into one (or more) ticket(s).



Click the “Start Group” button, then click on each entity you would like to group together. A small icon will appear next to each entity labeling it part of Group A, Group B, etc.

Click the “Clear Group” button to clear the current group you are on.

**NOTE:** No matter what you choose in the Entity Grouping menu, the rules as established by LAOC apply. If you try to group a series of entities that must be split into multiple tickets, ITIC will split them into the necessary number of tickets automatically.



# ENTITY GROUPING - CONTINUED

If your grouping preferences conform to the the notification policies as set by Louisiana One Call, ITIC will combine the excavation entities in the manner you have specified.

**Ticket A** **Ticket B**  
GROUP A GROUP B

**EXCAVATOR INFORMATION** %Group Edit

**EXCAVATION INFORMATION** ! %Group Edit **PROFILE**

**LOCATION INFORMATION**

PARISH: CADDO  
CITY: SHREVEPORT  
ADDRESS #: 2900  
STREET: N HEARNE AVE  
INTERSECTING STREET: HARDY ST  
LOCATION OF WORK: This ticket contains multiple locations: 2 Excavation Parcels.  
The first excavation parcel begins in the lot at 2900 N HEARNE AVE. The excavation is also approximately 200 feet WSW from the intersection of N HEARNE AVE and HARDY ST. The excavation site is contained within the NW and NE and SE quarters of the lot.  
The second excavation parcel begins in the lot at 2700 PENICK ST. The excavation is also approximately 595 feet E from the intersection of PENICK ST and MISSOURI AVE. The excavation site is contained within the entire lot.  
REMARKS:

CC EMAIL

Map Data: 20 m

Call Center  
Sat  
Google  
Measure  
Identify  
Frame  
Locate(s)

NEXT

**Ticket A** **Ticket B**  
GROUP A GROUP B

**EXCAVATOR INFORMATION** %Group Edit

**EXCAVATION INFORMATION** ! %Group Edit **PROFILE**

**LOCATION INFORMATION**

PARISH: CADDO  
CITY: SHREVEPORT  
ADDRESS #:   
STREET: N HEARNE AVE  
INTERSECTING STREET: HARDY ST  
LOCATION OF WORK: This ticket contains multiple locations: 2 Excavation Feature Routes.  
The first excavation feature route begins at a point approximately 35 feet W from the intersection of N HEARNE AVE and HARDY ST. Starting at this point (point 1), proceed along N HEARNE AVE 200 feet S to the unnamed road (point 2). Next proceed along the unnamed road 160 feet S (ending at point 3). The excavation takes place within a 25 foot width of this entire route.  
Point 1: Lat:32.484547 Long: -93.780297  
Point 2: Lat:32.483995 Long: -93.780316  
Point 3: Lat:32.483545 Long: -93.780327  
The second excavation feature route begins the intersection of N HEARNE AVE and HARDY ST. Starting at this point (point 1), proceed along N HEARNE AVE 355 feet S (ending at point 2). The excavation takes place within a 25 foot width of this entire route.  
Point 1: Lat:32.484547 Long: -93.780183  
Point 2: Lat:32.483573 Long: -93.780136

Map Data: 20 m

Call Center  
Sat  
Google  
Measure  
Identify  
Frame  
Locate(s)

NEXT

If you do not choose an option in the Entity Grouping Menu ITIC will split or combine the excavation entities as efficiently as possible.

**NOTE:** No matter what you choose in the Entity Grouping menu, the rules as established by LAOC apply. If you try to group a series of entities that must be split into multiple tickets, ITIC will split them into the necessary number of tickets automatically.




# PRECISE MAPPING AND WHY IT'S IMPORTANT

NextGen automatically creates Location Information based on the excavation entities you create in the map interface. NextGen uses base map data to convert the areas you have mapped into literal marking instructions. It is essential that you create excavation entities that precisely match your dig area(s) for the best results possible. To facilitate this, NextGen offers several options for creating your excavation entities.

Let's take a look at a few examples:

## EXAMPLE 1



The number of tickets created is based on call-center policy for the excavation entities created. Click on each "Ticket" tab appearing below to verify the accuracy of the information depicted in the map at the right AND the corresponding "Location Information" text on the left. A red globe in the ticket tab indicates that this ticket has not yet been viewed. A red exclamation point in the ticket tab indicates that information in the text on the left is incomplete. See the corresponding red exclamation point next to the

ONE CALL CONCEPTS

ISITE Home Help

Admin Chat

Ticket A

EXCAVATOR INFORMATION

EXCAVATION INFORMATION

LOCATION INFORMATION

PARISHWINN

CITYELSEWHERE CITYCITY LIMITSY

ADDRESS #7701

DIG STREETCANTON AVE

NEAREST INTERSECTING STREETEASTOVER AVE

ANOTHER INTERSECTING STREETMT OLIVE AVE


LOCATION DESCRIPTIONThe excavation route is located in the lot at 7701 CANTON AVE. The first point is located approximately 1185 feet SE from the northwest corner of the lot. Starting at this point (point 1), proceed approximately 215 feet N to point 2; from that point approximately 690 feet E to point 3. Mark a 40 foot width for the entire route.

OTHER INFO

CC EMAIL

ATTACH

Lat/Lon38.675690-90.337227



Call Center

Sat

Google

Measure

Identify

Frame

Locate(s)

The excavation route is located in the lot at 7701 CANTON AVE. The first point is located approximately 1185 feet SE from the northwest corner of the lot. Starting at this point (point 1), proceed approximately 215 feet N to point 2; from that point approximately 690 feet E to point 3. Mark a 40 foot width for the entire route.

In this example, work is taking place along a walking path that starts at the intersection of Eastover Ave and Canton Ave, going north and then east to the intersection of the walking path and a dirt path going north. The Create Route tool will be the most effective in this situation.

Using satellite imagery to guide the mapping, we've drawn a Route entity going north from the intersection of Eastover Ave and Canton Ave to the turn in the path, then east to the intersection with the dirt path.

NextGen then analyzes the excavation entity and creates marking instructions and location information to describe the area enclosed by the user.

# PRECISE MAPPING AND WHY IT'S IMPORTANT - CONTINUED

## EXAMPLE 2

**NextGen**

The number of tickets created is based on call-center policy for the excavation entities created. Click on each "Ticket" tab appearing below to verify the accuracy of the information depicted in the map at the right AND the corresponding "Location Information" text on the left. A red globe in the ticket tab indicates that this ticket has not yet been viewed. A red exclamation point in the ticket tab indicates that information in the text on the left is incomplete. See the corresponding red exclamation point next to the "Information" tabs below to

ONE CALL CONCEPTS  
Where safety is on the line.

ISITE Home Help  
Admin Chat

**Ticket A** !  
**GROUP A**

**EXCAVATOR INFORMATION**

**EXCAVATION INFORMATION** ! **PROFILE**

**LOCATION INFORMATION**

PARISHWINN

CITYELSEWHERE CITYCITY LIMITSY

ADDRESS #2500

DIG STREETLEXINGTON DR


NEAREST INTERSECTING STREETROLLING HILLS DR

ANOTHER INTERSECTING STREETSARATOGA BLVD

LOCATION DESCRIPTION  
This ticket contains multiple locations: 3 Excavation Parcels.  
The first excavation parcel is at 2500 LEXINGTON DR. Mark the entire lot.  
The second excavation parcel is at 2508 LEXINGTON DR. Mark the south half of the lot.  
The third excavation parcel is at 2504 LEXINGTON DR. Mark the south half of the lot.

OTHER INFO

Lat/Lon38.551597  
-92.219047



**Call Center**  
Sat  
Google  
Measure  
Identify  
Frame  
Locate(s)

This ticket contains multiple locations: 3 Excavation Parcels.

The first excavation parcel is at 2500 LEXINGTON DR. Mark the entire lot.

The second excavation parcel is at 2508 LEXINGTON DR. Mark the south half of the lot.

The third excavation parcel is at 2504 LEXINGTON DR. Mark the south half of the lot.

In this example, landscaping will take place in the front and back yards of addresses 2500, 2504, and 2508 Lexington Dr. The Select Parcel tool will be the most effective in this situation.

Using satellite imagery we can see that we needed to select only the south halves of the parcels for the 2504 and 2508. However, we selected the entire parcel of 2500 Lexington Dr in order to encompass both the back and front yards of that address.

# PRECISE MAPPING AND WHY IT'S IMPORTANT - CONTINUED

## EXAMPLE 3

**NextGen** The number of tickets created is based on call-center policy for the excavation entities created. Click on each "Ticket" tab appearing below to verify the accuracy of the information depicted in the map at the right AND the corresponding "Location Information" text on the left. A red globe in the ticket tab indicates that this ticket has not yet been viewed. A red exclamation point in the ticket tab indicates that information in the text on the left is incomplete. See the corresponding red exclamation point next to the

**Ticket A !**  
**GROUP A**

**EXCAVATOR INFORMATION**

**EXCAVATION INFORMATION !** **PROFILE**

**LOCATION INFORMATION**

PARISH WINN  
CITY ELSEWHERE CITY CITY LIMITS Y  
ADDRESS # 7500-1599  
DIG STREET TRENTON AVE  
NEAREST INTERSECTING STREET HARRISON AVE  
ANOTHER INTERSECTING STREET LAMB AVE  
LOCATION DESCRIPTION The excavation route begins at the intersection of TRENTON AVE and HARRISON AVE. Starting at this point (point 1), proceed along TRENTON AVE 665 feet E to LAMB AVE(point 2). Next proceed along LAMB AVE 370 feet S (ending at point 3). Mark a 40 foot width for the entire route.  
OTHER INFO

Lat/Lon 38.679776 -90.330470

Call Center  
Sat  
**Google**  
Measure  
Identify  
Frame Locate(s)

The excavation route begins at the intersection of TRENTON AVE and HARRISON AVE. Starting at this point (point 1), proceed along TRENTON AVE 665 feet E to LAMB AVE(point 2). Next proceed along LAMB AVE 370 feet S (ending at point 3). Mark a 40 foot width for the entire route.

In this example, work is taking place in the road right of way of Trenton Ave between Harrison Ave and Lamb Ave, then in the road right of way of Lamb Ave between Trenton Ave and Milan Ave. The Select Feature tool will be the most effective in this situation.

Using the Select Feature tool we can simply click on the two blocks the work is taking place on, and NextGen creates an entity that encompasses both blocks. Because we've specified a width of 40ft, this is translated into the marking instructions.




## IN CLOSING

This ends the ITIC User's Manual. Remember to keep this manual handy when filing locate requests using ITIC, and refer back to it. If you require further assistance there are several resources available to you:

**Tutorial Videos** – Tutorial videos are available online at <http://www.iaitcnexngen.com/resources/>.

**Live Chat** – Click the Chat button in the upper-right corner of the screen to start a chat session. Chat is only available during normal business hours.



Contact the Notification Center at [lead@occinc.com](mailto:lead@occinc.com).

*Louisiana*  
LAONECALL.COM

